





















S/N	U025504	TYPE	ECO40 2L4	B	PHASE	3	DUTY	S1
DATE	08/2021	RPM	1500/1800	INS.CL.	H	PF	0.8	
kVA	680	40 °C V.	230/400	A.	1707/981	Hz	50	
	816	125 V.	277/480	A.	1701/981	Hz	60	
BR	CONNECTION	DD/YY	EX. V.	37.2	EX. A.	4.2		
kVA	735	27 °C V.	230/400	A.	1845/1061	Hz	50	
kVA	882	163 V.	277/480	A.	1838/1061	Hz	60	
IP	23	kg	1540	J	8.92			
BEARINGS	6318.2RS1							
		=ISO 9001= SYSTEM CERTIFIED BY RINA						NORM EN 60034-1, IEC 60034-1 BS EN 60034-1, ISO 9001-3 MADE by MECO ALTE

S/N	U037346	TYPE	ECO40 1S4	B	PHASE	3	DUTY	S1
DATE	04/2022	RPM	1500/1800	INS.CL.	H	PF	0.	
kVA	400	40 °C V.	230/400	A.	1004/577	Hz	50	
	480	125 V.	277/480	A.	1000/577	Hz	60	
BR	CONNECTION	DD/YY	EX. V.	36.3	EX. A.	4.1		
kVA	440	27 °C V.	230/400	A.	1105/636	Hz	50	
	525	163 V.	277/480	A.	1094/632	Hz	60	
IP	23	kg	1050	J	6.217			
BEARINGS	6318.2RS1							
		=ISO 9001= SYSTEM CERTIFIED BY RINA						NORM EN 60034-1, IEC 60034-1 BS EN 60034-1, ISO 9001-3 MADE by MECO ALTE

Remove here after painting  
Rimuovere qui dopo aver  
Retirer ici après

N	U025506	TYPE	ECO40 2S4	B	PHASE	3	DUTY	SI
TE	08/2021	RPM	1500/1800	INS.CL.	H	PF	0.	
A	450	40 °C V.	230/400	A.	1130/650	Hz	50	
A	540	125 V.	277/480	A.	1126/650	Hz	60	
BR CONNECTION		DD/YY		EX. V.	32.7	EX. A.	3.7	
A	491	27 °C V.	230/400	A.	1233/709	Hz	50	
A	590	163 V.	277/480	A.	1230/710	Hz	60	
	23	kg	1135	J	6.8201			
EARRINGS		6318.2RS1						
		=ISO 9001= SYSTEM CERTIFIED BY RINA						<small>NORM EN 60034-1 IEC 60034-1 BS EN 60034-1 IEC 60034-1 MADE BY MECO ALZ</small>

N	U025507	TYPE	ECO40 2S4	B	PHASE	3	DUTY	SI
DATE	08/2021	RPM	1500/1800	INS.CL.	H	PF	0.	
VA	450	40 °C V.	230/400	A.	1130/650	Hz	50	
VA	540	125 V.	277/480	A.	1126/650	Hz	60	
BR CONNECTION		DD/YY		EX. V.	32.7	EX. A.	3.7	
VA	491	27 °C V.	230/400	A.	1233/709	Hz	50	
VA	590	163 V.	277/480	A.	1230/710	Hz	60	
	23	kg	1135	J	6.8201			
EARRINGS		6318.2RS1						
		=ISO 9001= SYSTEM CERTIFIED BY RINA						<small>NORM EN 60034-1 IEC 60034-1 BS EN 60034-1 IEC 60034-1 MADE BY MECO ALZ</small>